| FORM PTO-1449 Approved for use through 10/31/2002 US DEPARTMENT OF COMM US Patent and Trademan | | | | Attorney's Docket No. Serial No. 10/015,534 | | | | | |
|---|---|--|--|--|------------------------------|-------------------------|--|----------------|-------------|
| | Approved for use through 10/31/2002 US Patent and Trademar O PINFORMATION DISCLOSURE CITATION | | | | Applicant | | | | |
| | MAN a C a St | | | | Burton G. Christensen et al. | | | | |
| MAY 2 2 200 | 2 55 | (Use several sheets if nece | essary) | | Filing Date December 13, 2 | 1 | Group Art Unit | 1627 | |
| | £ 7 | | U.S. PA | ATENT DOCI | | | | | |
| Examilia | Ref. No. | Document Number | Date | | Name | Class | Subclass | Filing C | ate If |
| | | | | | | | | Approp | oriate |
| Ne | A1 | *4,587,046 | | Good | man et al. | | | | |
| my | A2 | *5,463,564 | | Agraf | fiotis et al. | ļ | | | |
| My | A3 | *5,607,921 | | Bern | ard et al. | | ļ | | |
| mg | A4 | 5,891,643 | | Fes | sik et al. | | | | |
| Mg | A5 | *5,962,701 | | | nau et al. | | | | |
| | | | FOREIGN | PATENT DO | CUMENTS | | · · · · · · · · · · · · · · · · · · · | | |
| Examiner initial | Ref. No. | Document Number | Date | | Country | Class | Subclass | Transl: Yes | ation No |
| My | B1 | *97/00244 | | | WIPO ` | | | | |
| Will | B2 | *98/02186 | <u> </u> | V | WIPO | | | | |
| MS | В3 | 98/16536 | | V | WIPO | | | | |
| mg | B4 | 98/16638 | | V | WIPO | | \ / | | |
| My | B5 | *0306904 | | | EPO | | \bigwedge | | - |
| Mes | B6 | *0433043 | | | EPO | ļ <u>.</u> | | | |
| 1 | .B7 | 0825191 | | يجيمه وبيريها ي سيجانكما، وزامل تالايت أواهام أمن ما ياملون | EPO was a second | S CHARLE TRANSPORTED TO | The state of the s | None |) |
| MS | B8 | 2317173 | | | GB | <i>/.</i> | } | | |
| An - | B9 | 62-164609 | The second secon | The state of the s | JP | | | Nove | E |
| 1 | | | | including Englis | h-language abstract | <u> </u> | 1 | <u> </u> | |
| | | OTHER DOCL | JMENTS | (Including Author, | Title, Date, Pertinent | Pages, etc | .) | | |
| me | C1 | *Adham et al., Naunyn- | -Schmiedeb | erg's Arch. Pha | rmacol. 348:556-575 | (1993) | | | |
| no | C2 | *Adham et al., Neuropharmacol. 36(4/5):569-576 (1997) | | | | | | | |
| ms | C3 | *Alabaster, Life Sci. 60(13/14):1053-1060 (1997) | | | | | | | |
| MR | C4 | *Bartow et al., Drugs 55(2):303-322 (1998) | | | | | | | |
| 10/ | C5 | *Beer et al., Br. J. Pharmacol. 110:1196-1200 (1993) | | | | | | | |
| MARCE | C6 | *Bergendal et al., Br. J. Pharmacol. 117:1009-1015 (1996) | | | | | | | |
| ny | C7 | *Bergsma et al., Biochem. Biophys. Res. Comm. 183:989-995 (1992) | | | | | | | |
| Mg C8 *Boulet, Drugs 47(2):207-222 (1994) | | | | | | | | | |
| EXAMINER MALE CONSIDERED 9/24/04 | | | | | | | | | |
| EXAMINER: Initial if references considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered. | | | | | | | | | |
| Include copy of this form with next communication to applicant. | | | | | | | | | |

| FORM PTO | 449 | US DEPARTMENT OF COMMERCE | Attorney's Docket No. AMI-011-RC2 | Serial No. 10/015,534 | | |
|---|----------|--|------------------------------------|------------------------|--|--|
| | | ough 10/31/2002 US Patent and Trademark Office | Applicant | | | |
| INFORMATION DISCLOSURE CITATION MAY 2 2 2002 5 | | | Burton G. Christensen et al. | | | |
| S. C. | J. J. J. | (Use several sheets if necessary) | Filing Date December 13, 2001 | Group Art Unit 1627 | | |
| TRADEM | AR | OTHER DOCUMENTS (Including Author | , Title, Date, Pertinent Pages, et | c.) | | |
| ML | C9 | *Buckley et al., Mol. Pharmacol. 35:469-476 (1989 |) | | | |
| me | C10 | *Burnier et al., Exp. Opin. Invest. Drug 6(5):489-50 | 00 (1997) | | | |
| w | C11 | *Carini et al., J. Med. Chem. 34(8):2525-2547 (199 | 91) | | | |
| my | C12 | *Carini et al., J. Med. Chem. 33(5):1330-1336 (1990) | | | | |
| Mex | C13 | *Casas et al., J. Drugs Future 22(5):481-491 (199 | 7) | | | |
| my | C14_ | *Chiu et al., JPET 252(2):711-718 (1990) | | | | |
| me | C15 | *Cvejic et al., J. Biol. Chem. 272(43):26959-26964 | (1997) | | | |
| my | C16 | *Dixon et al., Nature 321:75-79 (1986) | | | | |
| My | C17_ | *Duncia et al., J. Med Chem. 33(5):1312-1329 (19 | 90) | | | |
| Me | C18 | *Dzielak, Exp. Opin. Invest. Drugs 7(5):741-751 (1 | 998) | | | |
| mx | C19 | *Eglen et al., DNP 10(8):462-469 (1997) | | | | |
| My | C20 | *Eglen et al., Pharmacol. Toxicol. 78:59-68 (1996) | | | | |
| m | C21 | *Ferro et al., Br. J. Clinical. Pharmacol. 40:245-25 | 1 (1995) | | | |
| ms | C22 | *Fiorelli et al., J. Steroid. Biochem. Mol. Biol. 59(2):233-240 (1996) | | | | |
| my | C23 | *Gardiner, Exp. Opin. Invest. Drug 7(3):405-411 (1998) | | | | |
| My | Ć24 | *Garssen et al., Br. J. Pharmacol. 109:53-60 (199 | 3) | | | |
| mes | C25 | *George, J. Neurochem. 69(3):1278-1285 (1997) | | ` | | |
| nes | C26 | *Goadsby et al., Headaches 34:394-399 (1994) | · | | | |
| Mes | C27 | *Goadsby, "Animal models of migraine: which model, why and for what"? Migraine and Headache Pathophysiology, Chap. 14, Ed. L. Edvinsson, Martin Dunitz Ltd., London 1999 | | | | |
| me | | *Green et al., J. Biol. Chem. 271(39):24029-24035 (1996) | | | | |
| Me | C29 | *Green et al., Mol. Pharmacol. 41:889-893 (1992) | | | | |
| Mex | C30 | *Green et al., J. Biol. Chem. 269(42):26215-26219 (1994) | | | | |
| my | C31 | *Hamel et al., Mol. Pharmocol. 44:242-246 (1993) | | | | |
| Mi | C32 | *Heavner, DDT 1(7):295-304 (1996) | | | | |
| 105 | C33 | *Hebert et al., J. Biol. Chem. 271(27):16384-16392 (1996) | | | | |
| my | C34 | *Hebert et al., Biochem. Cell Biol. 76(1):1-11 (1998) | | | | |
| Me | C35 | *Holzgrabe et al., DDT 3(5):214-222 (1998) | | | | |
| Men | C36 | *Janssen, Drug Invest. 3(Suppl 1):1-2 (1991) | | | | |
| mon | C37 | *Kahne, Curr. Opin. Chem. Biol. 1(1):130-135 (1997) | | | | |
| EXAMINER | K) | DATE CO. | INSIDERED 9/20 | 404 | | |
| EXAMINER: Initial if references considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered. | | | | | | |
| Include copy of this form with next communication to applicant. | | | | | | |

4

| ORM PTO-1449 Approved for use the | US DEPARTMENT OF COMMER rough 10/31/2002 US Patent and Trademark Off | 1 111 011 000 | Serial No. 10/105534 | | |
|--------------------------------------|--|---|---------------------------------|--|--|
| OTANEORI | MATION DISCLOSURE CITATION | Applicant Burton G. Ch | | | |
| MAY 2 2 2007 55 | (Use several sheets if necessary) | Filing Date December 13, 2001 | Group Art Unit 1627 | | |
| 33/ | OTHER DOCUMENTS (Including Au | thor, Title, Date, Pertinent Pages, | etc.) | | |
| 2 Abbun 238 | *Kobilka et al., Nature 329:75-79 (1987) | | | | |
| Mex C39 | *Kretzschmar et al., Tet. Lett. 51(47):13015-13030 (1995) | | | | |
| M C40 | *Kukkonen et al., J. Pharmocol. Exp. Ther. 279(2):593-601 (1996) | | | | |
| Mg_C41 | *Kukkonen et al., Biochem. Biophys. Res. Cor | nm. 243(1):41-46 (1998) | | | |
| M C42 | *Leboulluec et al., Bioorg. Med. Chem. Lett. 5 | (2):123-126 (1995) | | | |
| Mer C43 | *Lee et al., Mol. Pharmacol. 50:140-148 (1996 | 6) . | | | |
| mg C44 | *Liang et al., Science 274:1520-1522 (1996) | | | | |
| MS C45 | *Liggett et al., Mol., Pharmocol, 36:641-646 (19 | 989) | | | |
| Mes C46 | *Lofdahl et al., Asthma 2:1523-1533 (1997) | | | | |
| Me CAT | *Longmore et al., Br. J. Clin. Pharmacol. 42:4: | 31-441 (1996) | | | |
| MS C48 | *McClellan et al., Drugs 55(5):713-718 (1998) | | | | |
| Mex C49 | *McCrea et al., Br. J. Pharmacol. 110:619-626 (1993) | | | | |
| Me C50 | *Maclagan et al., TIPS (Suppl):88-92 (1989) | | | | |
| Me C51 | *Maggio et al., PNAS 90:3103-3107(1993) | | | | |
| My C52 | *Martel et al., Drugs Future 22(2):135-137 (19 | 97) | <u> </u> | | |
| Me e53 | *Martin et al., Br. J. Pharmacol. 121:157-164 (| | | | |
| MQ C54 | *Merlos et al., Drugs Future 22(8):850-855 (19 | 997) | | | |
| Mes C55 | *Monnot et al., J. Biol. Chem. 271(3):1507-15 | 13 (1996) | | | |
| Mes C56 | *Mukoyama et al., J. Biol. Chem. 268(33):245 | | | | |
| Me C57 | *Nials et al., Br. J. Pharmacol. 110:1112-1116 | (1993) | | | |
| My C58 | *Nials et al., Eur. J. Pharmacol. 251:127-135 (1994) | | | | |
| M C59 | *Nikko/Masato et al., Chem Abstract 113(2):354 #11917g (1990) | | | | |
| My C60 | *Nimchinsky et al., J. Biol. Chem. 272(46):29229-29237 (1997) | | | | |
| me Jegs | *Ngo et al., Drugs Future 22(3):260-269 (1997) | | | | |
| mx C62 | *Pauuwels et al., Biochem. Pharmacol. 45(2):375-383 (1993) | | | | |
| Mrs C63 | *Pauuwels et al., Naunyn-Schmiedeberg's Arch. Pharmacol. 353:144-156 (1996) | | | | |
| MQ C64 | *Piergentili et al.II Farmaco 49(2):83-87 (1994) | | | | |
| ne C65 | *Portoghese, J. Med. Chem. 35(11):1927-1937 (1992) | | | | |
| Mels C66 | *Rivero et al., Bioorg. Med. Chem. Lett. 3(4):557-560 (1993) | | | | |
| My C67 | | | | | |
| EXAMINER // | | TE CONSIDERED CURLE | 1164 | | |
| | rences considered, whether or not citation is in conformance with M with next communication to applicant. | PEP § 809; Draw line through citation if not in | conformance and not considered. | | |

| FORM PTO-14 | | US DEPARTMENT OF COMMERCE | Attorney's Docket No. | Serial No. | | |
|---|---|---|--|----------------|--|--|
| | | ough 10/31/2002 US Patent and Trademark Office | AMI-011-RC2 | 10/015,534 | | |
| / UNFO | NY O | NATION DISCLOSURE CITATION | Applicant Burton G. Christensen et al. | | | |
| MAY 2 2 20 | 002 55 | (Use several sheets if necessary) | Filing Date | Group Art Unit | | |
| \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | 3 | | December 13, 2001 | 1627 | | |
| Vije vijema | | OTHER DOCUMENTS (Including Author, | Title, Date, Pertinent Pages, et | c.) | | |
| 1 3 4 70 CHES | C68 *Schoeffter et al., Naunyn-Schmiedeberg's Arch. Pharmacol. 340:135-138 (1989) | | | | | |
| mes c | 69 | *Shuker et al., Science 274:1531-1534 (1996) | | | | |
| Myc | 70 | *Suh et al., Bioorg. Med. Chem. Lett. 7(4):389-392 (1997) | | | | |
| Myc | 71 | *Valentin et al., Br. J. Pharmacol. 119:35-42 (1996) | | | | |
| Me | 72 | *Van de Water et al., Eur. J. Pharmacol. 299:127-137 (1996) | | | | |
| Myc | 73 | *Veldman et al., Mol. Pharmacol. 42:439-444 (1992) | | | | |
| my c | 74 | *Waldeck et al., Eur. J. Pharmacol. 112(3):349-353 (1985) | | | | |
| m> c | 75 | Waldeck et al., Acta Pharmacol. Toxicol. 58:209-218 (1986) | | | | |
| My c | 76 | *Wexler et al., J. Med. Chem. 39(3):625-656 (1996 |) | | | |
| mes c | 77 | *Wong et al., JPET 252(2):719-725 (1990) | | | | |
| My C | 78 | *Wong et al., JPET 252(2):726-732 (1990) | | | | |
| Mrs C | 79 | *Wurch et al., Br. J. Pharmacol. 120:153-159 (1997) | | | | |
| Mg C | 80 | *Yocca, Cephalagia 15(Suppl 14):174- (1995) | | | | |
| | 81 | *Zakon, Trends Neurosci. 21:202-207 (1998) | | | | |
| me c | 82 | *Zeng et al., J. Chrom. A 794:3-13 (1998) | | · . | | |
| New C | 83 | *Zgombick et al., Naunyn-Schmiedeberg's Arch. Pl | narmacol. 54:226-236 (1996) | | | |
| C | 84 | | | ÷ | | |
| C | 85 | | | | | |
| c | 86 | | | | | |
| C | 87 | | | | | |
| c | 88 | | | | | |
| c | 89 | | | | | |
| C | 90 | | | | | |
| C | 91 | | | | | |
| c | 92 | | | | | |
| C | 93 | | | | | |
| C | 94 | | | | | |
| C | 95 | | | | | |
| C | 96 | | | | | |
| c | 97 | | , | | | |
| EXAMINER / | 1 | DATE CON | SIDERED OLIZY(| 04 | | |
| EXAMINER: Initial if references considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | | |